


# ERHARDT BS SYSTEM

CHOOSE THE AWNING OF YOUR DREAMS –  
THE MODERN BS SYSTEM MEETS EVERY  
EXPECTATION



Valance forms:

1

2


3

4

5

## ERHARDT BS: the open folding-arm awning for contemporary expectations

- The ERHARDT BS is an open folding-arm awning for use in protected areas.
- Ideal for terraces and under balconies.
- The ERHARDT BS has an exceptionally stable design and is manufactured using only durable, high-quality materials. Its sophistication lies in its simplicity and the modular concept.
- The clean design of the frame can be adapted to suit any style of construction using our modern and elegant fabric selection.
- We recommend our Soltis fabric collection for the double awning. This fabric allows a view towards the outside from the inside.





Double awnings  
BS-H and BS-H  
»Deluxe« with  
retracted  
vertical awning



### ERHARDT BS-H – The sleeve awning with rain cover and protective profile from below

- The ERHARDT BS-H is identical in construction to the ERHARDT BS-D, but also has an additional lower shell, making it a sleeve awning.
- The high-quality tilting arm bearing used in the BS-H ensures a good seal when closed.
- The rolled up fabric enjoys full protection with the sleeve and rain cover.
- A sleeve awning offers protection similar to that of a high-quality cassette awning. When closed, the folding arms remain visible from below on a sleeve awning.



**ERHARDT<sup>®</sup>  
MARKISEN**

Mehr. Freude. Leben. Zuhause.


# ERHARDT K

THE AWNING FOR  
SOLUTIONS IN A  
TIGHT SPACE,  
AND THAT DOES IT ALL



## ERHARDT K – For inconspicuous beauty

- The entire mechanism as well as the awning fabric shaft are hidden in the cassette awning when in the retracted position. This ensures maximum protection from the elements while at the same time providing an unobtrusive appearance.
- The compact design with its cassette height of only 13 cm allows the awning to be integrated perfectly into the tightest space by making use of the numerous mounting options.
- The motor control integrated as standard improves operating convenience.
- The design of the cassette on the ERHARDT K is unobtrusive and timelessly elegant.
- The robust front shell creates stability and torsional stiffness.
- A radio remote control can also be ordered for even more freedom.
- Durable materials and high-quality craftsmanship form the basis for sophisticated functionality.
- A large selection of additional equipment: Ask your ERHARDT dealer to get valuable tips.



### Recommended equipment for the ERHARDT K:

- We recommend the optional variant with a **Remote Control** for the best in operating convenience, especially with the standard series motor. More safety is provided by the **Oscillation Sensor** which closes the awning automatically in strong winds.
- The new **SUNVAS CASA** fabric collection lends any awning a very unique appeal. Special weaving techniques in combination with a linen look create an enticing interplay of light patterns and structure effects.

 **ERHARDT  
MARKISEN**

Mehr. Freude. Leben. Zuhause.

# ERHARDT Q

WITH EVERYTHING  
THAT TECHNOLOGY  
MAKES POSSIBLE



## Recommended equipment for the ERHARDT Q:

- We recommend the **integrated LED lighting**. The uniform light is ideal for illuminating large or small areas and can be operated with wireless convenience. LED lighting is particularly energy efficient and long lasting.
- We recommend a configuration with a **remote control** for the most convenient operation. More safety is provided by the **oscillation sensor**, which closes the awning automatically in strong winds.





## ERHARDT Q – See and experience the luxury

- The fabric and the mechanism are perfectly protected within the closed housing of the cassette awning. This ensures ideal protection from the elements.
- The housing conceived the modern Bauhaus design and can therefore be perfectly integrated in any construction style.
- The ERHARDT Q has been conceived using the latest in engineering practice and is constructed of high-quality materials. It is characterised by exceptional stability and torsional stiffness.
- The ERHARDT Q is particularly robust and long lasting, making it suitable for larger areas as well.
- The ERHARDT Q is available as standard with a motor and a remote-control motor is an option.
- Integrated LED lighting is available optionally. The light has a uniform and very pleasant quality.
- The ERHARDT Q is also available as a double awning for optimal privacy and sun protection. The double awning can be operated conveniently in the same way as the main awning via the wireless hand transmitter included as standard.
- A large selection of additional equipment: Ask your ERHARDT dealer to get valuable tips.

 **ERHARDT<sup>®</sup>  
MARKISEN**

Mehr. Freude. Leben. Zuhause.

# ERHARDT CONSERVATORY AWNINGS


## THE BEST SOLUTION FOR EVERY SITUATION



### ERHARDT HS: The classic on-roof solution with spacers – for flexible planning even with larger areas

- The aesthetically pleasing ERHARDT HS is able to offer optimal shade even for larger areas thanks to its exceptionally powerful tensioning mechanism.
- On-roof mounting is possible on nearly all existing systems due to a large selection of spacers for use in mounting the lateral guide rails.
- As is the case for all three of the conservatory awnings, it is equipped as standard with a low-noise but powerful electric motor. The remote control version is available as an option.
- The ERHARDT HS with its special double rail is especially suited for being coupled (several awnings next to each other).
- We recommend our SUNSILK and SUNVAS CASA fabric collections. Pleasant transmitted light is provided with SUNSILK, innovative woven structures and linen looks with SUNVAS CASA.





## ERHARDT TM: The unobtrusive universal awning for on-roof and under-roof applications

- The ERHARDT TM is a small conservatory awning that is suitable both for on-roof and under-roof installation. The two lateral guide rails are mounted using spacers. Series mounting is possible: several units can be mounted next to each other – even with different projection lengths.
- When mounted under-roof, the ERHARDT TM with its compact cassette, slim and trim brackets and mounting directly on the rafters is extremely unobtrusive.
- You can integrate dimmable lighting rails and heaters for a pleasant ambience using under-roof installation. We also recommend the remote control motor with optional automatic sun and wind control.



**ERHARDT  
MARKISEN**

Mehr. Freude. Leben. Zuhause.


# QUBE ARC

PRACTICAL SUN PROTECTION IN A SPECIAL DESIGN



# QUBE CENTER

YOUR PERSONAL ALL-ROUND PROTECTION



# QUBE LAMELLA

## WATERPROOF ALUMINIUM PERGOLA WITH SWIVELLING SLATS



**With its QUBE series, ERHARDT Markisen has extended its range of pergolas.**

The new pergola QUBE Arc. With its special, rounded roof shape, the pergola not only protects against sun, wind and rain, but is also really eye-catching. Thanks to the movable fabric, a new concealed system for collecting and draining rainwater makes the pergola very efficient, even in very heavy rain. A wide selection of fabrics (transparent, translucent or opaque) and extensive accessories, such as lighting with LED, heaters, vertical awnings with zip function and all-glass sliding doors that can be moved sideways, complete the range and allow you to tailor the QUBE Arc to your individual needs.

The QUBE Center is a modular pergola for complete sun protection. It looks extremely elegant due to its slim profiles, and is flexible and expandable in a modular manner. It combines design and functionality with maximum comfort, and thus protects your terrace. This lets you extend your outdoor season. It is an "ingenious" solution for protecting yourself from the sun, rain, wind and heat. The modern QUBE Center allows it to fit perfectly into your environment.

The new aluminium QUBE Lamella protects you from the sun, wind and rain during your outdoor activities. When the sun shines, the slightly open aluminium slats provide shade and allow the air to circulate at the same time. When they are completely closed, they provide reliable protection against rain and moisture. In a rain shower, the water is guided through integrated channels on the slats into the surrounding gutter and is drained by the supports. Thus this pergola offers comprehensive and individual protection. The slats, light and heating can be controlled very easily via a handheld transmitter. The different versions enable you to create an individual design and integrate the pergola into your home and garden.

 **ERHARDT  
MARKISEN**

Mehr. Freude. Leben. Zuhause.

## ERHARDT PM<sup>light</sup>

### LARGE NUMBER OF VARIATIONS AS SMALL, COMPACT PERGOLA AWNING



The new PM<sup>light</sup> is based on the new TM18 conservatory awning. Its slender columns and side-mounted guide rails ensure large-area shading. The pergola awning provides high stability and wind safety thanks to the fixing points on the facade and the supports, which are fixed to the floor. You can relax in your favourite place in a comfortable, shaded atmosphere.

The PM<sup>light</sup> will convince you with its completely new design and its ZIP technology, with which the side fabric guide is routed between the fabric and the guide rail without a gap. Once the awning is extended, the outrigger arms with their side guide rails ensure perfectly-fitting closure. This results in an attractive appearance at the highest-possible wind safety level. The construction of the awning and the materials used ensure safety and the highest-possible stability with perfect fabric stability even in the strongest winds.

The PM<sup>light</sup> is suitable as a small, compact pergola awning with its wide range of variations. It is the ideal sunshade, especially for terraces and in the catering industry.

## ERHARDT PM<sup>light</sup> AT A GLANCE

Minimum width	100 x 250 cm	Requested colours	any RAL colour possible
Maximum width	500 x 450 cm	Fabric designs	<ul style="list-style-type: none"><li>• Tibelly Ambient collection (polyester)</li><li>• Tibelly Classic collection (acryl)</li></ul>
Installation technology	Fixing of the cassette using brackets, 2 side rails on supports which are fixed to the floor	Angle of inclination	0°-45°
Overhang	Rails max. 50 cm	Special features	<ul style="list-style-type: none"><li>• with motor as standard</li><li>• version without fabric and without zip possible</li><li>• aluminium supports</li></ul>
Application areas	as a pergola, terrace roofing		
Technology	low-noise electric motor, tensioning system uses opposing technology		
Cassette awning	All-round protection for fabric and technology		
Frame colour	<ul style="list-style-type: none"><li>• white (RAL 9016)</li><li>• grey aluminium texture (RAL 9007 fine texture)</li><li>• anthracite (DB 703)</li></ul>		<ul style="list-style-type: none"><li>• radio motor with remote control</li><li>• wind automation / solar automation</li><li>• rain sensor</li><li>• infrared radiant heater (incl. radio dimmer)</li></ul>

# ERHARDT BS SYSTEM AT A GLANCE

## All of the ERHARDT BS System Features

<b>Maximum dimensions</b>	700 x 400 cm (width x depth) »Deluxe« double awning: 700 x 350 cm (width x depth)
<b>BS: Open folding arm awning</b>	No protection
<b>BS-D: Open folding arm awning</b>	Protection from above (rain cover)
<b>BS-H: Sleeve awning</b>	Protection from all sides (rain cover and lower shell profile)
<b>Frame colour</b>	<ul style="list-style-type: none"><li>• White (RAL 9016)</li><li>• Grey-aluminium structured (RAL 9007 finely structured)</li><li>• Anthracite (DB 703)</li></ul>
<b>Custom colour</b>	Any RAL colour is possible
<b>Fabric designs (over 250 designs)</b>	<ul style="list-style-type: none"><li>• Collection: SUNSILK</li><li>• Exclusive collection: SUNVAS CASA</li><li>• Classic collection</li><li>• Acrylic collection</li><li>• Double awning: Soltis</li></ul>
<b>Inclination angle</b>	5° - 45°

## Special features

- With valance as standard
- »Deluxe« model: Designer drop profile instead of fabric valance
- Optionally as a double awning
- Two coupling alternatives
- Models BS-H and BS-D with high-quality tilting arm bearing
- Also possible as a double awning with length of 400 cm

## Optional additional features

- Motor control (also for double awning)
- Remote control (also for double awning)
- Automatic wind and sun sensors
- Wireless oscillation sensor
- Awning fabric with welding adhesive technology
- Lighting rail (optionally dimmable)
- Infrared heater (including wireless level control)
- Double awning (Vario-Valance) also for »Deluxe« model
- Variomatic drive (BS only): 0° - 90° inclination angle
- »Deluxe« version: Designer drop profile instead of fabric valance

# ERHARDT K AT A GLANCE

## All of the ERHARDT K features

<b>Maximum dimensions</b>	500 x 300 cm (width x projection length)
<b>Cassette awning</b>	Protected mechanism and fabric shaft
<b>Frame colour</b>	<ul style="list-style-type: none"><li>• White (RAL 9016)</li><li>• Grey-aluminium structured (RAL 9007 finely structured)</li><li>• Anthracite (DB 703)</li></ul>
<b>Custom colour</b>	Any RAL colour is possible
<b>Fabric designs (over 250 designs)</b>	<ul style="list-style-type: none"><li>• Collection: SUNSILK</li><li>• Exclusive collection: SUNVAS CASA</li><li>• Classic collection</li><li>• Acrylic collection</li></ul>
<b>Inclination angle</b>	0° - 45°
<b>Special features</b>	<ul style="list-style-type: none"><li>• Ideal for balconies and small terraces</li><li>• Motorized as standard</li><li>• Low installation height, cassette height only 13 cm</li></ul>

## Optional additional features of the ERHARDT K

- Remote control
- Automatic wind and sun sensors
- Wireless oscillation sensor
- Awning fabric with welding adhesive technology
- Lighting rail (optionally dimmable)
- Infrared heater (including wireless level control)

## ERHARDT SUNSILK/SUNVAS awning fabrics

The SUNSILK collection offers many advantages:

- Exceptionally vibrant and brilliant colours
- Non-fading and weather-resistant
- Easy care surfaces
- The highest UV protection (absorbs up to 97% of hazardous UV radiation)
- Exclusive SUNVAS collection: only available in ERHARDT awnings – pleasantly soft colour brilliance

# ERHARDT Q AT A GLANCE

## All of the ERHARDT Q features

<b>Maximum dimensions</b>	700 x 400 cm (width x projection length) Double awning: 650 x 325 cm (width x projection length)
<b>Cassette awning</b>	Fabric shaft and mechanism completely protected
<b>Frame colour</b>	<ul style="list-style-type: none"><li>• White (RAL 9016)</li><li>• Grey-aluminium structured (RAL 9007 finely structured)</li><li>• Anthracite (DB 703)</li></ul>
<b>Custom colour</b>	Any RAL colour is possible
<b>Fabric designs (over 250 designs)</b>	<ul style="list-style-type: none"><li>• Collection: SUNSILK</li><li>• Exclusive collection: SUNVAS CASA</li><li>• Classic collection</li><li>• Acrylic collection</li></ul>
<b>Inclination angle</b>	5° - 35°
<b>Special features</b>	<ul style="list-style-type: none"><li>• Modern linear design</li><li>• Motorized as standard</li><li>• Exceptionally stable (large areas are possible)</li><li>• Available as a double awning</li><li>• Integrated LED lighting available as an option</li><li>• High-quality tilting arm bearing</li></ul>

## Optional additional features of the ERHARDT Q

- Remote control motor with control unit
- Automatic wind and sun sensors
- Wireless oscillation sensor
- Integrated LED lighting
- Infrared heater (including wireless level control)
- Awning fabric with welding adhesive technology
- As a double awning, remote control motor is standard

## ERHARDT Markisentücher SUNSILK/SUNVAS

The SUNSILK collection offers many advantages:

- Exceptionally vibrant and brilliant colours
- Non-fading and weather-resistant
- Easy care surfaces
- The highest UV protection (absorbs up to 97% of hazardous UV radiation)
- Exclusive SUNVAS CASA collection: only available in ERHARDT awnings – pleasantly soft colour brilliance

# ERHARDT TM, HS AND WG AT A GLANCE

## All of the ERHARDT TM, HS and WG features

<b>Areas of application</b>	<ul style="list-style-type: none"><li>• Skylight windows</li><li>• Terrace roofs</li><li>• Conservatories</li><li>• Domed skylights</li></ul>
<b>Technology</b>	Low-noise electric motor; Tensioning system: Counterbalance technology
<b>Cassette awning</b>	All-round protection for fabric and mechanism
<b>Frame colour</b>	<ul style="list-style-type: none"><li>• White (RAL 9016)</li><li>• Grey-aluminium structured (RAL 9007 finely structured)</li><li>• Anthracite (DB 703)</li></ul>
<b>Custom colour</b>	Any RAL colour is possible
<b>Fabric designs (over 250 designs)</b>	<ul style="list-style-type: none"><li>• Collection: SUNSILK</li><li>• Exclusive collection: SUNVAS CASA</li><li>• Classic collection</li><li>• Acrylic collection</li></ul>
<b>Inclination angle</b>	0-90°

- Special features**
- Motorized as standard
  - Spacers of different heights available
  - TM: also suitable for under-roof installation
  - WG: A projection of up to 120 cm on the sides for shading angled elements is possible
  - WG: Standard awning fabric design uses welding adhesive technology

## Optional additional features

- Remote control motor with control unit
- Automatic wind and sun sensors
- Rain sensor
- Awning fabric with welding adhesive technology (standard for the WG)
- TM under-roof installation: Lighting rail (optionally dimmable)
- TM under-roof installation: Infrared heater (incl. wireless level control)

## QUBE CENTER AT A GLANCE

Maximum dimensions	1300 x 650 cm (max. width 1300 cm fabric in one piece)
Mounting technique	Wall mounting
Areas of application	Pergola awning
Technology	<ul style="list-style-type: none"> <li>• One drive for both guide rails</li> <li>• Aluminium construction with two guide rails, two posts and one water gutter</li> <li>• Motors compatible with Somfy RTS and io control</li> </ul>
Frame colour	<ul style="list-style-type: none"> <li>• White (RAL 9016)</li> <li>• Grey aluminium structured (RAL 9007 finely structured)</li> <li>• Anthracite (DB 703)</li> </ul>
Custom colour	available in any RAL colour
Fabric designs	<ul style="list-style-type: none"> <li>• FLEXLIGHT SMART 6002</li> <li>• FLEXLIGHT OPAQUE 6002 OSCURANTE/BLACKOUT</li> <li>• PRECONTRAI NT 502</li> <li>• PRECONTRAI NT 602</li> <li>• PRECONTRAI NT 622 OSCURANTE/BLACKOUT</li> <li>• SOLTIS PROOF W96</li> </ul>
Special features	<ul style="list-style-type: none"> <li>• Concealed drainage due to posts</li> <li>• Fixed gutter in the front</li> <li>• Wind resistance class 6 in accordance with UNI EN 13561</li> <li>• Suitable for the installation of vertical awnings ZIP and all-glass sliding doors</li> </ul>

## QUBE LAMELLA AT A GLANCE

Maximum dimensions	400 x 810 cm* *from 601 cm, additional central support and central reinforcement
Mounting technique	<ul style="list-style-type: none"> <li>• free-standing design</li> <li>• wall mounting</li> <li>• on construction at the installation site</li> </ul>
Areas of application	Pergola awning
Technology	<ul style="list-style-type: none"> <li>• Operation of slats via a linear motor and push rod</li> <li>• Motors compatible with Somfy RTS control with Somfy io on request</li> </ul>
Slats	Adjustable aluminium roof slats
Slat position	The slat angle is variably adjustable. The maximum opening angle is 110°. The remote control provides 4 preset opening angles of 0°, 33%, 66% and 100%.
Frame colour	<ul style="list-style-type: none"> <li>• White (RAL 9016)</li> <li>• Grey aluminium structured (RAL 9007 finely structured)</li> <li>• Anthracite (DB 703)</li> </ul>
Side cover	<ul style="list-style-type: none"> <li>• White aluminium (RAL 9006)</li> <li>• White (RAL 9010)</li> <li>• Black (RAL 9005)</li> <li>• Ivory (RAL 1013)</li> </ul>
Custom colour	available in any RAL colour
Special features	<ul style="list-style-type: none"> <li>• Free-standing, self-supporting construction</li> <li>• Concealed drainage</li> <li>• Surrounding gutter profiles</li> <li>• Wind resistance class 6 in accordance with UNI EN 13561</li> </ul>


## QUBE ARC AT A GLANCE

Maximum dimensions	550 x 1000 cm* Support length max. 250 cm *from 700 cm, additional central support and central reinforcement
Mounting technique	Wall mounting possible
Areas of application	Pergola awning
Technology	<ul style="list-style-type: none"> <li>• Drive and shift via rope technology</li> <li>• Motors compatible with Somfy RTS and io control</li> </ul>
Frame colour	<ul style="list-style-type: none"> <li>• White (RAL 9016)</li> <li>• Grey aluminium structured (RAL 9007 finely structured)</li> <li>• Anthracite (DB 703)</li> </ul>
Fabric designs	<ul style="list-style-type: none"> <li>• Same as Qube Centre</li> </ul>

Special features	<ul style="list-style-type: none"> <li>• Free-standing, self-supporting construction</li> <li>• Concealed drainage</li> <li>• Surrounding gutter profiles</li> <li>• Wind resistance class 6 in accordance with UNI EN 13561</li> </ul>
------------------	---

### Optional additional features


- Automatic control for wind, rain and temperature optional
- LED strip in gutter and LED spot in cross brace optional
- Heating optional
- Vertical awnings
- All-glass sliding door



AWNINGS



PERGOLA AWNINGS



GLASS SLIDING ELEMENTS



TERRACE ROOFS